

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5911	list\$4 with application with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:26
L2	2235	list\$4 with (application near server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:26
L3	302	list\$4 with (application near server) and access\$4 with authenticat\$4 with user	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:27
L4	21	list\$4 with (application near server) and access\$4 with authenticat\$4 with user with list\$4 with application with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:27
L5	5	list\$4 with (application near server) and access\$4 with authenticat\$4 with user with list\$4 with application with server and client with (id identifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:31
L6	3	list\$4 near2 (application near server) and access\$4 with authenticat\$4 with user with list\$4 with application with server and client with (id identifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:32
L7	0	list\$4 near2 (application near server) and access\$4 with authenticat\$4 near user with list\$4 with application with server and client near2 (id identifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:33
L8	0	list\$4 near2 (application near server) and access\$4 with authenticat\$4 near user with list\$4 with application with server and client with (id identifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:33
L9	0	list\$4 near2 (application near server) and access\$4 with (authenticat\$4 near2 user) with list\$4 with application with server and client with (id identifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:33
L10	24	list\$4 near2 (application near server) and access\$4 with (authenticat\$4 near2 user) with (list\$4 application server) and client with (id identifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:34
L11	8	list\$4 near2 (application near server) and access\$4 with (authenticat\$4 near2 user) with (list\$4 application server) and client near2 (id identifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:35

EAST Search History

L12	0	list\$4 near2 (application near server) and access\$4 with (authenticat\$4 near2 user) with list\$4 with (application server) and client near2 (id identifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:35
L13	0	list\$4 near2 (application near server) and access\$4 with ((authenticated authorized) near2 user) with list\$4 with (application server) and client near2 (id identifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:36
L14	7	list\$4 near2 (application near server) and access\$4 with ((authenticated authorized) near2 user) with list\$4 with (application server) and client with (id identifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:47
L15	1	(list\$4 near2 (application near server)) with client near (id identifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:49
L16	1	(list\$4 near3 (application near server)) with (client near (id identifier))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:50
L17	1	(list\$4 near3 (application near (machine workstation server))) with (client near (id identifier))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:51
L18	1	(list\$4 near3 (application near (machine workstation pc computer server))) with (client near (id identifier))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:53
L19	2	list\$4 near3 (application near3 (machine workstation pc computer server)) with (client near2 (id identifier))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:54
L20	2	list\$4 near3 application near3 server with (client near2 (id identifier))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:55
L21	1226	list\$4 near3 application near3 server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:55
L22	638	list\$4 near2 application near2 server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:55

EAST Search History

L23	193	list\$4 near application near server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:55
L24	2	(list\$4 near application near server) with (user client) near2 (id identifier identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:57
L25	0	"list of application servers"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:57
L26	0	"list of application server"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:57
L27	35	(list\$4 near server) with (user client) near2 (id identifier identification) and application near server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 14:58
L28	7	(list\$4 near server) with (user client) near2 (id identifier identification) and application near server and (user client) with (authorized authenticated)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:00
L29	12	(list\$4 near2 server) with (user client) near2 (id identifier identification) and application near server and (user client) with (authorized authenticated)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:04
L30	5	29 not 28	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:00
L31	0	("list of servers" "listing of servers")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:05
L32	4949	(list listing) near server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:06
L33	224	((list listing) near server) near3 access\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:07
L34	113	((list listing) near server) near3 access\$4 with (user client)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:28

EAST Search History

L35	43	((list listing) near server) near3 access\$4 with (user client) and authenticat\$4 with (user client)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:29
L36	15	((list listing) near server) near3 access\$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:38
L37	12335	709/224,225,229.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:34
L38	5	37 and 36	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:34
L39	0	713/201.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:35
L40	0	713/200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:35
L41	0	713/210.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:35
L42	1842	726/4,10.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:36
L43	1	42 and 36	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:37
L44	1000	(acl (access near control near list)) with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:37
L45	3	"726"/\$.ccls. and ((list listing) near server) near3 access\$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:39
L46	3	"713"/\$.ccls. and ((list listing) near server) near3 access\$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:39

EAST Search History

L47	6	"709"/\$.cccls. and ((list listing) near server) near3 access\$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:39
L48	0	"709"/204-209.cccls. and ((list listing) near server) near3 access\$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 15:40
L49	5	"709"/220-229.cccls. and ((list listing) near server) near3 access\$4 with (user client) and authenticat\$4 with (user client) with (id identity identification)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 16:08
L50	5	"709"/220-229.cccls. and ((list listing) near server) near3 access\$4 with (user client) and authenticat\$4 with (user client) with (id identity identification) and user	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 16:08
L51	5	"709"/220-229.cccls. and ((list listing) near server) near3 access\$4 with (user client) and authenticat\$4 with (user client) with (id identity identification) and user with authenticat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 16:08
L52	4	"709"/220-229.cccls. and ((list listing) near server) near3 access\$4 with (user client) and authenticat\$4 with (user client) with (id identity identification) and user with authenticat\$4 with access\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 16:08
L53	2	"709"/220-229.cccls. and ((list listing) near server) near3 access\$4 with (user client) and authenticat\$4 with (user client) with (id identity identification) and user with authenticat\$4 with access\$4 with list\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 16:09
L54	5	"709"/220-229.cccls. and ((list listing) near server) near3 access\$4 with (user client) and authenticat\$4 with (user client) with (id identity identification) and user with authenticat\$4 and access\$4 with list\$4 and list\$4 with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/12/18 16:09